# FETARD

URBANISTE / PLUMITIF / JORQUIN

ISU

**90**

## PRODUCTION

*Milk Synthesis* ***+11***

*2674 daughter(s) - 1986 Herd(s) -* ***Rel. 95%***

| MILK | PROT. (KG) | FAT (KG) | PROT. (%) | FAT (%) | DIGER |
|---|---|---|---|---|---|
| -275 | +5 | +14 | +0.21 | +0.36 | 0 |

| K-CAS | B-CAS |
|---|---|
| BB | |

## FUNCTIONAL

**MILCA : MIF / MTCP : MTF**

**MTETR : NC**

| CALV. EASE | D. CALV. EASE | CALF VIT | D. CALF VIT. |
|---|---|---|---|
| 95 | 95 | 95 | 95 |

| | | 88 | 100 | 112 | 124 | 130 |
|---|---|---|---|---|---|---|
| **Milking speed** | **104** | Slow | | | Fast | |
| **Temperament** | **98** | Lively | | | Quiet | |

## HEALTH

**0.2**

| | | -1 | 0 | 1 | 2 | 2.5 |
|---|---|---|---|---|---|---|
| NEW **Hoof Health Synthesis** | **+0.9** | | | | | |
| Infectious Lesions Synthesis | -0.7 | | | | | |
| Mechanical Injuries Synthesis | +2.6 | | | | | |
| **Udder health** | **-0.4** | Non improver | | | Improver | |
| SCS | -0.4 | | | | | |
| Clinical Mastitis | -0.3 | | | | | |
| **Fertility** | **+0.2** | Non improver | | | Improver | |
| Cow Fertility | -0.7 | | | | | |
| Heifer Fertility | +0.3 | | | | | |
| Int. Calv. 1st AI | +1.4 | | | | | |
| **Productive Life** | **-0.6** | Non improver | | | Improver | |
| **Ketosis** | **+0.1** | | | | | |

## TYPE 76

*1627 daughter(s) - 1232 Herd(s) -* ***Reliability 95***

| | | 88 | 100 | 112 | 124 | 130 |
|---|---|---|---|---|---|---|
| **BODY CAPACITY** | **86** | Poor | | | Excellent | |
| Chest Width | 87 | Narrow | | | Wide | |
| Chest Depth | 78 | Shallow | | | Deep | |
| Rump length | 97 | Short | | | Long | |
| Thurl Width | 83 | Narrow | | | Wide | |
| *Rump Angle* | 110 | Sloped | | | Flat | |
| *Stature* | 93 | Short | | | Tall | |
| **FEET & LEGS** | **92** | Poor | | | Excellent | |
| Rear legs, side view | 114 | Straight | | | Sickle | |
| Foot Angle | 91 | Low | | | Steep | |
| Rear legs, rear view | 87 | Outside | | | Inside | |
| **UDDER** | **78** | Poor | | | Excellent | |
| Fore Udder | 96 | Loose | | | Strong | |
| Rear Udder height | 81 | Low | | | High | |
| Rear Udder Width | 87 | Narrow | | | Wide | |
| Udder Depth | 92 | Deep | | | Shallow | |
| Udder Balance | 99 | More rear | | | More fore | |
| Udder Cleft | 96 | Weak | | | Strong | |
| Front Teat Placement | 98 | Wide | | | Close | |
| Rear Teat Placement | 100 | Narrow | | | Wide | |
| Teat Orientation | 87 | Outside | | | Inside | |
| **TEATS** | **78** | Poor | | | Excellent | |
| Teat length | 71 | Long | | | Short | |
| Teat shape | 112 | Thin | | | Thick | |
| **BEEF VALUE** | **87** | Poor | | | Excellent | |

| | | -1 | 0 | 1 | 2 | 2.5 |
|---|---|---|---|---|---|---|
| Veal calves muscularity | 0.3 | *Poor* | | | *Excellent* | |
| Young calves / young cattle muscularity | 0.5 | *Poor* | | | *Excellent* | |

FR 5342485021 - N° 80703

BREEDER : GAEC TRANSFO (DU)

DAM : CANETTE
6-305 9211KG 39,9 34,3